	SAFETY DATA SHEET	Page : 1 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name/designation : Propane
Chemical name : Propane
EC Index : 601-003-00-5
EC-No. : 200-827-9
CAS-No. : 74-98-6
REACH registration No : 01-2119486944-21-0043
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Fuels
Propellant
Blowing agent
monomer
Formulation
Distribution

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Trafigura Ventures V.B.V.
Evert van de Beekstraat 1-82
The Base, Tower B - 5th Floor
1118 CL Schiphol - The Netherlands
T +31 20 504 1800
TrafiguraReach@trafigura.com

1.4. Emergency telephone number

Emergency number : +32 3 575 03 30
This telephone number is available 24 hours per day, 7 days per week.


Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1 H220
Press. Gas (Liq.) H280


	SAFETY DATA SHEET	Page : 2 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

Full text of H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word :

Danger

Hazard statements (CLP) :

H220 - Extremely flammable gas.
H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381 - In case of leakage, eliminate all ignition sources.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.

Listed in Annex VI :

EC Index-No. : 601-003-00-5

2.3. Other hazards

Other hazards :

PBT/vPvB data. This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances


Substance name : Propane
CAS-No. : 74-98-6
EC-No. : 200-827-9
EC Index : 601-003-00-5

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index) 601-003-00-5 (REACH-no) 01-2119486944-21-0043	100	Flam. Gas 1, H220 Press. Gas (Liq.), H280

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

	SAFETY DATA SHEET	Page : 3 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

SECTION 4: First aid measures

4.1. Description of first aid measures

- Additional advice : First aider: Pay attention to self-protection. See also section 8 . Never give anything by mouth to an unconscious person. Show this safety data sheet to the doctor in attendance. In case of doubt or persistent symptoms, consult always a physician.
- Inhalation : Keep at rest. Provide fresh air. If unconscious place in recovery position and seek medical advice. Give oxygen or artificial respiration if necessary. Get medical advice/attention.
- Skin contact : In case of frostbite, wash with plenty of water; do not remove clothing. Cover wounds with sterile bandage. Get medical advice/attention.
- Eyes contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical advice/attention.
- Ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

- Inhalation : May be irritating.
- Skin contact : Contact with liquid or refrigerated gas can cause cold burns and frostbite.
- Eyes contact : Causes frostbite burns to eyes.
- Ingestion : Ingestion is not considered a potential route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media


- Suitable extinguishing media : Carbon dioxide. dry extinguishing powder. Alcohol resistant foam. Water spray .
- Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

- Specific hazards : Vapours are heavier than air and may spread along floors. Heating causes rise in pressure with risk of bursting. Container may explode if heated.
- Explosion hazard : Vapours may form explosive mixture with air. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Evacuate personnel to a safe area.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
- Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

	SAFETY DATA SHEET	Page : 4 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel : Stay upwind/keep distance from source. Provide adequate ventilation. Evacuate personnel to a safe area. Vapours are heavier than air and may spread along floors. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes and clothing. Do not breathe gas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Use only non-sparking tools.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Leave evaporate and disperse. Hose down gases, fumes and/or dust with water. All processes must be supervised by specialists or authorised personnel.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate information, instruction and training for operators. Extremely cold liquid and gas under pressure. Causes severe frostbite. Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe gas. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Keep container tight closed.

Hygiene measures : Keep good industrial hygiene. When using do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling of the product. Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Gases under pressure : Liquefied gas. Keep container tightly closed in a cool, well-ventilated place. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.

Incompatible substances or mixtures : Strong oxidizing agents. Acids.

Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition. Do not smoke.

Packaging materials : Keep only in the original container. Steel.


7.3. Specific end use(s)

Not applicable.


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)		
Austria	MAK (mg/m ³)	1800 mg/m ³

	SAFETY DATA SHEET	Page : 5 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

propane (74-98-6)		
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m ³)	3600 mg/m ³
Austria	MAK Short time value (ppm)	2000 ppm
Belgium	Limit value (ppm)	1000 ppm (gas)
Bulgaria	OEL TWA (mg/m ³)	1800 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	1800 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m ³)	1800 mg/m ³
Estonia	OEL TWA (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	800 ppm
Finland	HTP-arvo (15 min)	2000 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1100 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	1800 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	1000 ppm
Greece	OEL TWA (mg/m ³)	1800 mg/m ³
Greece	OEL TWA (ppm)	1000 ppm
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (ppm)	3000 ppm (calculated)
Latvia	OEL TWA (mg/m ³)	1800 mg/m ³
Latvia	OEL TWA (ppm)	1000 ppm
Poland	NDS (mg/m ³)	1800 mg/m ³
Portugal	OEL TWA (ppm)	1000 ppm
Romania	OEL TWA (mg/m ³)	1400 mg/m ³
Romania	OEL TWA (ppm)	778 ppm
Romania	OEL STEL (mg/m ³)	1800 mg/m ³
Romania	OEL STEL (ppm)	1000 ppm
Slovenia	OEL TWA (mg/m ³)	1800 mg/m ³
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	OEL STEL (mg/m ³)	7200 mg/m ³
Slovenia	OEL STEL (ppm)	4000 ppm
Norway	Grænseverdier (AN) (mg/m ³)	900 mg/m ³ (Referanser (lover/forskrifter): FOR-2011-12-06 nr 1358 Forskrift om tiltaks-og grænseverdier (sist endret gjennom FOR-2016-12-22 nr 1860)).
Norway	Grænseverdier (AN) (ppm)	500 ppm (Referanser (lover/forskrifter): FOR-2011-12-06 nr 1358 Forskrift om tiltaks-og grænseverdier (sist endret gjennom FOR-2016-12-22 nr 1860)).
Norway	Grænseverdier (Korttidsverdi) (mg/m ³)	1125 mg/m ³ (value calculated)
Norway	Grænseverdier (Korttidsverdi) (ppm)	625 ppm (value calculated)

	SAFETY DATA SHEET	Page : 6 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

propane (74-98-6)		
Switzerland	MAK (mg/m ³)	1800 mg/m ³
Switzerland	MAK (ppm)	1000 ppm
Switzerland	KZGW (mg/m ³)	7200 mg/m ³
Switzerland	KZGW (ppm)	4000 ppm
Canada (Quebec)	VEMP (mg/m ³)	1800 mg/m ³
Canada (Quebec)	VEMP (ppm)	1000 ppm
USA - IDLH	US IDLH (ppm)	2100 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	1800 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	1800 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Propane (74-98-6)	
DNEL/DMEL (additional information)	
Additional information	Not applicable. Gas
PNEC (additional information)	
Additional information	Not applicable. Gas


8.2. Exposure controls

Engineering measure(s)	: Closed system. Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Take precautionary measures against static discharge. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Use only explosion-proof equipment. Organisational measures to prevent /limit releases, dispersion and exposure. See also section 7.
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves. cold insulating gloves. cold insulating gloves (EN511)
Eye protection	: During splash contact: face shield (EN166)
Body protection	: Overalls, apron and boots recommended.
Respiratory protection	: If there is a risk of oxygen deficiency, use appropriate pressurised breathing protection. Use self-contained respiratory apparatus for rescue and maintenance work in storage vessels. Self-contained open-circuit compressed air breathing apparatus (EN 137)
Thermal hazard protection	: cold insulating gloves (EN511).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Press. Gas (Liq.).
Colour	: Colourless.

	SAFETY DATA SHEET	Page : 7 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

Odour	: Characteristic.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: -187 - -138 °C
Freezing point	: No data available
Initial boiling point and boiling range	: -161- -0,5 °C
Flash point	: -104 - -60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable
Vapour pressure	: 550 kPa @ 40°C
Vapour density	: >1 (air=1)
Relative density	: 0,43-0,59 g/cm ³
Solubility	: Water: insoluble (0,024 - 0,061 g/l)
Partition coefficient n-octanol/water	: < 2,3
Kinematic viscosity	: No data available
Dynamic viscosity	: No data available
Explosive properties	: Not applicable . The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: LEL: 1,9 -UEL: 15 vol %

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable gas. Reference to other sections: 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See also section 7.

10.5. Incompatible materials

Strong oxidizing agents. See also section 7.


10.6. Hazardous decomposition products

Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

	SAFETY DATA SHEET	Page : 8 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

propane (74-98-6)	
LC50/inhalation/4h/rat (ppm)	> 800000 ppm (Exposure time: 15 min)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: Not applicable
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met.)
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. Reference to other sections: 4.2.

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : not hazardous.

12.2. Persistence and degradability

Propane (74-98-6)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Propane (74-98-6)	
Partition coefficient n-octanol/water	< 2,3

propane (74-98-6)	
Partition coefficient n-octanol/water	2,3

12.4. Mobility in soil

Propane (74-98-6)	
Ecology - soil	Not applicable. Gas.

12.5. Results of PBT and vPvB assessment

No data available


12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods






Product/Packaging disposal recommendations	: Handle with care. Safe handling: see section 7. Handling and storage. Collect and dispose of waste product at an authorised disposal facility. Dispose of contaminated materials in accordance with current regulations.
Additional information	: Never use pressure to empty container. Do not burn, or use a cutting torch on the empty drum. Do not puncture or incinerate. Delivery to an approved waste disposal company. Dispose of contaminated materials in accordance with current regulations.
Further ecological information	: Do not allow to enter into surface water or drains.

	SAFETY DATA SHEET	Page : 9 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : Classified as hazardous waste according to European Union regulations. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1978	1978	1978	1978	1978
14.2. UN proper shipping name				
PROPANE	PROPANE	Propane	PROPANE	PROPANE
Transport document description				
UN 1978 PROPANE, 2.1, (B/D)	UN 1978 PROPANE, 2.1	UN 1978 Propane, 2.1	UN 1978 PROPANE, 2.1	UN 1978 PROPANE, 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 2F
 Special provisions : 652, 660, 657, 662
 Limited quantities (ADR) : 0
 Excepted quantities (ADR) : E0
 Packing instructions (ADR) : P200
 Mixed packing provisions (ADR) : MP9
 Portable tank and bulk container instructions (ADR) : (M), T50
 Tank code (ADR) : PxBN(M)
 Tank special provisions (ADR) : TA4, TT9
 Vehicle for tank carriage : FL
 Transport category (ADR) : 2
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV10, CV36
 Special provisions for carriage - Operation (ADR) : S2, S20
 Hazard identification number (Kemler No.) : 23

	SAFETY DATA SHEET	Page : 10 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

Orange plates :

23
1978

Tunnel restriction code : B/D
EAC code : 2YE

- Transport by sea

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P200
Tank instructions (IMDG) : T50
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : E
Stowage and handling (IMDG) : SW2
Properties and observations (IMDG) : Flammable hydrocarbon gas. Explosive limits: 2.3% to 9.5% Heavier than air (1.56).

- Air transport


PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A1
ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 2F
Special provisions (ADN) : 657, 66
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

- Rail transport

Special provisions (RID) : 657, 660, 662
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P200
Mixed packing provisions (RID) : MP9
Portable tank and bulk container instructions (RID) : T50(M)
Tank codes for RID tanks (RID) : PxBN(M)

	SAFETY DATA SHEET	Page : 11 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

Special provisions for RID tanks (RID) : TU38, TE22, TA4, TT9, TM6
 Transport category (RID) : 2
 Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW10, CW36
 Colis express (express parcels) (RID) : CE3
 Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Propane - propane
--	-------------------

Propane is not on the REACH Candidate List

Propane is not on the REACH Annex XIV List

15.1.2. National regulations

Germany


Reference to AwSV : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 560)
 German storage class (LGK) : LGK 2A - Gases
 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : 5 - Very toxic to aquatic organisms B (5)
 SZW-lijst van kankerverwekkende stoffen : The substance is not listed
 SZW-lijst van mutagene stoffen : The substance is not listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out

	SAFETY DATA SHEET	Page : 12 / 12
		Revision nr : 2
	Propane	Issue date : 20/03/2018
		Supersedes : 22/08/2016

SECTION 16: Other information

Indication of changes:

1		Modified	
2		Modified	
15		Modified	
16		Modified	

Abbreviations and acronyms:

	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	CSR = CSR = Chemical Safety Report
	DNEL = DNEL = Derived No Effect Level
	LD50 = Median lethal dose
	N.O.S. = Not Otherwise Specified
	PNEC = Predicted No Effect Concentration
	STEL = Short term exposure limit
	TLV = Threshold limits
	TWA = time weighted average
	persistent, bioaccumulating and toxic (PBT).
	vPvB = very persistent and very bioaccumulating
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
	NA= Not applicable

Sources of key data used to compile the datasheet : European Chemicals Bureau Chemical Safety Report. ECHA website.

Training advice : Training staff on good practice.

Full text of H- and EUH-statements:

Flam. Gas 1	Flammable gases, hazard category 1
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.